

(REVIEW ARTICLE)



Promotion of CO₂ assimilation by stopping NP elimination is best method to stop global warming

Shoichiro Ozaki *

Department of Resource Chemistry, Ehime University, Matsuyama, Ehime prefecture, Japan.

International Journal of Scholarly Research and Reviews, 2024, 04(02), 049–053

Publication history: Received on 25 March 2024; revised on 03 May 2024; accepted on 06 May 2024

Article DOI: <https://doi.org/10.56781/ijsrr.2024.4.2.0033>

Abstract

Stop the electricity to stop the elimination of nitrogen and phosphorous.

Stop the addition of ammonia at exit gas of electricity generation plant.

Abandon the law about bon fire.

Throw radioactive substance to deep sea.


If these four items are done global warming will stop.

Keywords: CO₂ assimilation; NO_x; ammonia; NP elimination; GDP; Promotion of CO₂ assimilation

1 Introduction

Promotion of CO₂ assimilation by stopping electricity at clean center and stop NO_x, NP elimination and stop bonfire law, throw radioactive substance to deep sea are best method to absorb CO₂, and to stop global warming, to get much food and to growth (ref. 1-62)

To stop the elimination on nitrogen and phosphorous is just stop the electricity at clean center Japan build 2200 clean center in 1980 4.41 million tone nitrogen and 0.203 million tone phosphorous is eliminated by active slugs process. The electricity for stirring is 1.178 billion kWh 1.18 % of total electricity of Japan. 1/3 of solar electricity generation of Japan. Therefore electricity should be off sooner (ref 29, 38,39) Seven developed country decided to eliminate 25 million tone NO_x by the reaction with ammonia (ref 11-14, 24-25, 29-32)



400 million tone NO_x is eliminated by 227 million tone ammonia. In Japan. 50 million tone NO_x is destroyed by 28.33 million tone ammonia.

* Corresponding author: Shoichiro Ozaki

Concentration of nitrogen in sea water decreased. Fish production of Japan dropped from 12.5 million tone to 4 million tone.(ref 33-35) And production of sea bream, chinu, sawara,octopus decreased remarkably Generation of electricity should be done without addition of ammonia. I asked to stop electricity and stop the ammonia addition to the exit gas.

Those countries who do not eliminate nitrogen and phosphorous, CO₂ and NO_x production increase and CO₂ assimilation is activated. Production of agriculture and fish industry increase. GDP ratio of China at 2021 and 1991s 51.1, GDP increase ratio of India is 11.1 . On the contrary GDP ratio of Japan is 1.1(Ref 56-62)

1.1 Bonfire,field burning, burning of materials, should be done without adding ammonia

In 2008, to avoid the NO_x formation addition of ammonia is obliged. New burning furnace were build equipped with ammonia (ref 39-50). When something is burned, NO_x produce. When 100kg wood is burned, 6.5 kg NO_x is produced. therefor bonfire stop rule should be eliminated.

NO_x is best compound to produce food(ref 7, 58)).Thunder produce NO_x. the district having much thunder give much rice and fish

1.2 Radioactive substance can throw into deep sea

National rule prohibit the throw radioactive substance to the sea (ref 39, 60-62). But If we throw radioactive substance in such way that do not give any harm. In the process of decontamination if we pick up surface soil 20 cm and throw soil to the deep sea by card board. Radioactive water by pipe to the deep sea.

Radioactive atomic energy generation scrap to the deep sea.Japan government are trying to find the place to throw. But no place to fit. Sea is very wide and deep. Therefore infinitive dilution is possible

Buried amount of oil is about 50 years. Buried amount of natural gas is 80 years. Buried amount of coal is 150 years. Buried amount of uranium is 250 years. Human race must live ten thousand years. Nuclear fusion is surely necessary. Large amount of radioactive substance will produce This radioactive substance should throw into the deep sea (ref 51, 59-62).

1.3 Secret of long age (ref. 26,27,48)

I was born at 1930.April 17.

At mid night, I eat banana 1, Iriko 30 g, Hatosabure .Then new idea about global warming come out, I do CO₂ assimilation for two hours to produce vegetable and fruit like tomato, nasu, pumpkin, water melon

2 Conclusion

Stopping of ammonia addition to eliminate NO_x and stopping of water clean center are easy method to stop global warming . Let stop NO_x, NP elimination and let stop global warming and let produce much food and let make rich countries

References

- [1] Shoichiro Ozaki Recycle of nitrogen and phosphorous for the increase of food production. New Food Industry 1993 35, No 10 33-39.
- [2] Shoichiro Ozaki. Methods to protect global warming. Adv Tech Biol Med. 2016, 4. 181
- [3] Shoichiro Ozaki. Methods to protect global warming, Food production increase way. New Food Industry 2016 58 No 8 47-52.
- [4] Shoichiro Ozaki. Global warming can be protected by promotion of CO₂ assimilation using NO_x. Journal of Climatology & Weather Forecasting 2016 4.2 1000171.
- [5] Shoichiro Ozaki. Global warming can be protected by promotion of plankton CO₂ assimilation. Journal of Marine Science: Research & Development 2016 6. 213.
- [6] Shoichiro Ozaki Method to reactivate fish industry. New Food Industry 2017 59 No 3 61-70.
- [7] Shoichiro Ozaki. NO_x is Best Compound to Reduce CO₂. Eur J Exp Biol. 2017, 7:12.

- [8] Shoichiro. Ozaki Protection of global warming and burn out of fossil fuel by promotion of CO₂ assimilation. J. of Marine Biology & Oceanography 2017, 6:2.
- [9] Shoichiro. Ozaki Promotion of CO₂ assimilation supposed by NO_x is best way to protect global warming and food production. Artiv of Pet-Envilron Biotechnol 2017 02.110.
- [10] Shoichiro Ozaki. Promotion of CO₂ assimilation supported by NO_x is best way to protect global warming. J. Marine Biol Aquacult 2017 vol 3. Issue 2.
- [11] Shoichiro Ozaki. Stopping of NO_x elimination is easy way to reduce CO₂ and protect global warming. J. Environ Sci Public Health 2017:1 (1) 24-34.
- [12] Shoichiro Ozaki. Stopping of NO_x elimination is clever way to reduce CO₂ and to increase fish production. J. of Cell Biology 6 Immunogy 2017 1e 102.
- [13] Shoichiro Ozaki Effective uses of NO_x and drainage are clever way to protect global warming and to increase fish production. Oceanography & Fisheries 2017 4(4).
- [14] Shoichiro Ozaki. NO_x Elimination and Drainage NP Elimination should be stopped for the production of fish and for the protection of global warming. J. of Fisheries and Aquaculture Development 2017 issue 05 125.
- [15] Shoichiro Ozaki. Let`s enjoy civilized life using limited amount of fossil fuel Journal of Aquaculture & Marine Biology 2017 6 (3) 06 00158.
- [16] Shoichiro Ozaki Method to fit Paris agreement for protection of global warming. International Journal of Waste Resources 2017 7-4 318 doi: 10.4172/2252-5211.1000318.
- [17] Shoichiro Ozaki. Method to protect global warming and to produce much fish by promotion of plankton growth. New Food Industry 2018 60 no3 88-94.
- [18] Ozaki Shoichiro. Method to protect global warming by promotion of plankton CO₂ assimilation. Rikuryou Science 2018 61 23.
- [19] Shoichiro Ozaki. Effect of NO_x elimination on electricity price, fish production, GDP and protection of global warming. International J of Waste Resources 2018 8 issue 1 1000328 doi:10.4172/2252-1000328.
- [20] Shoichiro Ozaki. How to fix carbon dioxide same amount as emission for the protection of global warming. Research & Development in Material Science 2018 vol 3 issue 5.
- [21] Shoichiro. Ozaki Stop of NO_x elimination and stop of wast water purification are easy methods to protect global warming. J of Immunology and Information Diseases Therapy 2018 1 1 doi.org/06.2018/1.10006.
- [22] Shoichiro Ozaki. Climate can be regulated by effective use of NO_x and wastewater NP. 2018 Biomedical Research and Reviews volume 1.1.
- [23] Shoichiro Ozaki. Promotion of Plankton CO₂ assimilation by effective use of NO_x and NP is best method to produce much fish and protect global warming. 2018 J of Marine Science Research and Oceanography Volume 1 issue 1. 1 doi:10.4172/2155-9546-c1-022.
- [24] Shoichiro Ozaki. Promotion of plankton CO₂ assimilation by NO_x is best way to protect global warming and to get best climate. International J of Earth and environmental Science 2018 3 160.
- [25] Shoichiro Ozaki. Promotion of plant growth by NO_x is best method to reduce CO₂ and to protect global warming. Current Trends in Oceanography and Marine Science 2018 01 1-4.
- [26] Shoichiro Ozaki. Fish is best food to get anti-aging and long life. NO_x elimination should be stopped to produce much fish and to protect global warming Jacobs Journal of physiology 2018 4.1 017
- [27] Shoichiro Ozaki. Fish is Best Food to Get Anti-Aging and Long Life. J of Aging and Neuropsychology 2018 issue 2 1-6 DOI: <http://dx.doi.org/10.20431/2454-7670.0501001>.
- [28] Shoichiro Ozaki. NO_x and NP in waste water fix CO₂ and control global warming and climate. International J of Biochemistry and Physiology 2018 3 (4) doi: 10.23880/ijbp-16000140.
- [29] Shoichiro Ozaki. The effect of of increase of NO_x and CO₂ on grain and fish production, protection of global warming and climate. International Journal of Earth Science and Geology 2019 1(1) 6-10.
- [30] Shoichiro Ozaki. Complete use of NO_x and NP is essential for the increased production of food and protection of global warming. Inter. J. Innovative Studies in Aquatic Biology and Fisheries 2019 3 (1) 1-6.

- [31] Shoichiro. Ozaki. Why global warming is progressing. Promotion of CO₂ assimilation is best method to protect global warming. Rikuryou Science 2019 62 16-18.
- [32] Shoichiro Ozaki Complete use of NO_x and NP is essential for the increased production of food and protection of global warming. Inter.J. Innovative Studies in Aquatic Biology and Fisheries 2019 3 (1) 11-15
- [33] Shoichiro Ozaki. Increase of CO₂ and NO_x promote CO₂ assimilation, CO₂ fix and food production. Advances in Bioengineering & Biomedical Science Research 2019 2 issue 3 1-6.
- [34] Shoichiro Ozaki. Promotion of CO₂ assimilation by effective use of NO_x and NP is best method to produce much fish and protect global warming. EC Agriculture 2019 5: Issue 8, 492-497.
- [35] Shoichiro Ozaki. Why fish production of Japan decreased. Why global warming is progressing. New food Industry 2019 Vol 61 No 10 787-793.
- [36] Shoichiro Ozaki. In pure water no fish can live. Water purification promote global warming, decline of countries. Rikuryou Science 2020 63 24-29.
- [37] Shoichiro Ozaki. NO_x elimination and NP elimination are promoting global warming. EC Agriculture 2020 6.1 1-8.
- [38] Shoichiro Ozaki. Purification of water and air is promoting global warming and country decline. Journal of Marine Science and Oceanography 2020 3 issue 1 1-4.
- [39] Shoichiro Ozaki Relation of London Dumping Convention and Global Warming. If Developed Countries stop NP and NO_x Elimination, CO₂ Assimilation Increase and Global Warming Will Stop. International J of Pollution Research 2020 3 115-119.
- [40] Shoichiro Ozaki. Global warming will stop, if developed countries stop NO_x and NP elimination. J. of Environmental Sci. Current Research 2020 3.022.
- [41] Shoichiro Ozaki. Stopping of NO_x, NP Elimination at developed countries is easy method to protect global warming. J Bacteriology and Myology 2020 7 (4) 1137.
- [42] Shoichiro Ozaki. In pure water no fish can alive. Water purification promote global warming and decline region and countries. New Food Industry 2020 62 (8) 615-620.
- [43] Shoichiro Ozaki. Promotion of recycle of carbon, nitrogen and phosphorous is essential for protection of global warming and increase of national wealth. American J of humanities and Social Science 2020 Vol 5 Page 01:13.
- [44] Shoichiro Ozaki. Stopping of NO_x and NP elimination at developed countries is essential for the promotion of food production and protection of global warming. J of Soil Science and Plant Physiology 2020 2 (2) 1-10.
- [45] Shoichiro Ozaki. Promotion of CO₂ assimilation by stopping NO_x, NP elimination is best method to produce much food and to protect global warming. American J of Engineering, Science and Technology 2020 vol 5 1-15.
- [46] Shoichiro Ozaki. Stopping of NO_x, NP elimination is easy method to protect global warming. J of Research in Environmental and Earth Science 2020 6 issue 6 12-21.
- [47] Shoichiro Ozaki. Method to protect global warming to fit Paris agreement and to enrich the countries. Rikuryou Science 2021 64 32-38.
- [48] Shoichiro Ozaki Method to protect global warming and to get long life International Journal of Clinical Case Reports 2020; 8(2) 002-16 DOI: 10.46998//IJCCR.2020.08.000182
- [49] Shoichiro Ozaki Aquaculture of plankton and fish by fertilizer is best way to protect global warming Acta Scientific Biotechnology 2021 2.1 13-22
- [50] Shoichiro Ozaki Promotion of CO₂ assimilation by NO_x, NP is easy method to protect global warming to get high GDP Open access Research J of Biology and Pharmacy 2021 02 (02)063-086 Article Doi: <https://doi.org/10.53022/oarjbp.2021.2.2.0047>
- [51] Shoichiro Ozaki Promotion of CO₂ assimilation by sufficient supply of nitrogen and phosphorous is easiest method to fit Paris agreement and to protect global warming and to get national wealth International Journal of Science and Research Archive, 2021,04(01),092-105 Article Doi:<https://doi.org/10.30574/ijsra.2021.4.1.0187>
- [52] Shoichiro Ozaki. Stop NO_x, NP elimination and promotion of CO₂ assimilation will stop increase of CO₂ and fit Paris agreement and increase food and enrich country. Rikuryou Science 2022 65 37-47

- [53] Shoichiro Ozaki Recycle of nitrogen, phosphorous is essential for protection of global warming. World J of Advanced Science and Technology 2022, 01(01),015-030
- [54] Shoichiro Ozaki Method to achieve carbon neutral and to fit Paris agreement and to protect global warming. World J of Advanced Science and Technology 2022,02(01)022-031
- [55] Shoichiro. Ozaki Sure method to protect global warming and to increase GDP New Food Industry 2022 64(12) 799-802
- [56] Shoichiro Ozaki Environmental measures inhibit CO2 assimilation, inhibit food production, make worse economy and promoting global warming GSC Advanced Research and Reviews, 2022, 13(02), 245–257
- [57] Shoichiro Ozaki Environmental measures, inhibit food production, make worse economy and promoting global warming Rikuryou Science 2023 66 35-42.
- [58] Shoichiro Ozaki Stopping of NO_x, NP elimination is easiest method to stop global warming. International Journal of Scientific Research Updates 2023 05(01).067-078
- [59] Shoichiro Ozaki Promotion of CO₂ assimilation by stopping of NO_x, NP elimination is easy method to stop global warming and to growth International Journal of Science and Research Archives 2023 08(02),295-304
- [60] Shoichiro Ozaki NO_x should be recycled by stoping of NO_x elimination by ammonia. Waste water purification center should be closed GSC Advanced Research and Reviews 2023,15(02),113-120
- [61] Shoichiro Ozaki NO_x eliminations of developed countries induced global warming. Let stop NO_x and NP elimination and stop global warming and get much food and rich country. Rikuryou Science 2024 67 51
- [62] Shoichiro Ozaki NO_x,NP elimination of developed countries induced global warming. Let stop NO_x,NP elimination,lets global warming,letproduce much food and let make rich countries Open Access Research J of Biology and Pharmacy 2023, 09(02), 057-066 Doi:<https://doi.org/10.53022/oarjbp.2023.9.2.0060>